

#### Disclaimer, warranties and limitation of liability

This publication is intended to be an aid for all trades and professionals involved with specifying and installing LYSAGHT products and not to be a substitute for professional judgement.

Terms and conditions of sale available at local BlueScope Lysaght sales offices.

Except to the extent to which liability may not lawfully be excluded or limited, BlueScope Steel Limited will not be under or incur any liability to you for any direct or indirect loss or damage (including, without limitation, consequential loss or damage such as loss of profit or anticipated profit, loss of use, damage to goodwill and loss due to delay) however caused (including, without limitation, breach of contract, negligence and/or breach of statute), which you may suffer or incur in connection with this publication.

© Copyright BlueScope Steel Limited 15 December, 2010



# **Downpipes: Round**

# **Downpipes**



GB = GALVABOND® steel

zL = ZINCALUME® steel unpainted

unpainted

	NSW	Vic.	<b>Qld: Tapered</b> Whole length is tapered.	SA & NT	WA	<b>Tas.</b> Custom cut available.
	<b>Lengths</b> 1800 & 2400	<b>Lengths</b> 1800 & 2400	Lengths 75 to 100 dia: 1800 & 2400 125 to 150 dia: 1800	<b>Lengths</b> 1800	Lengths For all diameters: 1800 tapered 75 diameter: 1800, 2400 crimped	<b>Lengths</b> 1800
			<b>BMT</b> 75 to 100 dia: 0.40 100 to 150 dia: 0.55	<b>BMT</b> 0.40 & 0.55	BMT For all diameters: 0.40 75-& above: 0.40 & 0.55	<b>BMT</b> 0.60
	Finish ZL & CB  Dimensions Diameter 75 90 100  Other diameters subject to enquiry.	Finish ZL & CB  Dimensions & BMT  0.40 BMT  Diameter 50 65 75	Finish ZL, GB & CB  Dimensions Diameter 75 90 100 125 150	Dimensions & finish Diameter & finish 50 GB, ZL & CB 75 GB, ZL & CB 90 GB, ZL & CB 100 GB, ZL & CB 125 GB, ZL & CB	Dimensions & finish Diameter& finish 50 GB 60 GB 75 ZL & GB 100 ZL & GB 125 ZL & GB 150 ZL & GB Ask for nonstandard.	Finish ZL & GB  Dimensions Diameter 50 75 100 125 150
		90  0.55 BMT  100 125 150 175 200 225 250	Queensland: Parallel Lengths 900 Finish CB Dimensions	150 GB, ZL & CB  (Some sizes available in CB Ultra)	Rei ▲ A	member ccessories
		275 300	(dia.) & BMT 75 dia: 0.40 90 dia: 0.40 100 dia: 0.40 100 dia: 0.55 125 dia: 0.55 150 dia: 0.55 Other diameters		▲ Fi  Abbr  CB = COLOR	ownpipes lashings asteners eviations RBOND® colours ICALUME® steel

made to order in

0.55 BMT.





# **Pops/Nozzles/Drops**

NSW Diameter (mm) 75 90 100	Victoria Diameter (mm) 50 65 75	Queensland Diameter (mm) Universal 75 90	<b>SA &amp; NT</b> Diameter (mm) 50-75-90 100-125-150	<b>WA</b> Diameter (mm) 50-65-70 100	Tasmania Diameter (mm) 50-75 100-150
Universal nozzles also available in NSW to suit 100 x 75mm or 100 x 90mm.	90 100 125 150 200	100 125 150	Specify loose or fitted to gutter. Limited colours.	Overflows: 25 mm dia. x 100 long GB only	
Finish ZL	<b>Finish</b> ZL & GB	<b>Finish</b> ZL & CB	<b>Finish</b> GB, ZL, CB	Ask for non- standard. <b>Finish</b> ZL	<b>Finish</b> ZL

# Elbows (95°) & Shoes (45°)

Also known as bends in New South Wales and Queensland

	<b>NSW</b> Refer to NSW	<b>Victoria</b> Diameter	<b>Queensland</b> Diameter	<b>SA &amp; NT</b> Diameter	<b>WA</b> Diameter	<b>Tasmania</b> Diameter
95	Service Offer.	50	75	50	75	50
<u> </u>		65	90	65 (not SA)		75
Elbow		75	100	75		100
		90	125	90 (pressed	Ask for non-	125
		100	150	bend diecast)	standard.	150
			Ask for non-	100		
			standard.	125		
				150 (not NT)		
135		Finish	Finish	Limited colours.	Finish	Finish
		ZL, GB & CB	ZL, GB & CB	Finish	ZL & GB	ZL & GB
Shoe 45				CB, ZL & GB		

## **Straps**




Also known as astragals in New South Wales and South Australia, clips in Victoria and saddle straps in WA. The sizes available are the same as those shown for pops. In Victoria there is also a 170mm diameter clip. In Western Australia 75mm strapping is used (1800mm lengths).

More downpipe accessories on next page ➤



## Downpipe offsets (2 piece).



Adjustable Length 450-600mm (150mm adjustment)

NSW		
Refer NSW		
Service Offer		
for details.		
Finich		

Finish
Refer NSW
Service Offer
for details.

### **Victoria** Diameter 65 75 90 100

Fini	sh	
ZL, GB	&	СВ

#### SA Queensland Diameter Diameter 50 50-75-90 75 100-125-150 Other sizes POA in S.A. made to order.

Finish **Finish** ZL, GB & CB ZL & CB

Product

Availability  $\,^{\,\,
abla}$ 



WA Diameter 75

**Finish** ZL, GB & CB


#### Remember

- ▲ Accessories
- ▲ Downpipes
- ▲ Flashings
- ▲ Fasteners

#### **Abbreviations**

- = COLORBOND® colours on ZINCALUME® steel
- = GALVABOND® steel unpainted
- = ZINCALUME® steel unpainted

## Crimped bend 90 & 45 degrees




#### **NSW** Diameter 75

90 100

Subject to enquiry.

**Finish** ZL & CB

# Standoff brackets



### SA

Diameter 75-90-100 125-150 unpainted

#### **WA & NSW**

Diameter 75 -100 Galvanised only Non-standard subject to enquiry.



#### Chinamans hat



150	
175	
200	
225	
250	
300	
350	
400	
Finish	ı
GB	

at		
NSW	Queensland	
Diameter	Diameter	D
(On short pipe)	(On short pipe)	(On
150	75	Mad
175	90	75
200	100	,
225	125	
250	150	0t
300	175	av
350	200	r
400	225	
	250	
Finish	300	
GB		(


**Finish** 

ZL, GB & CB

SA WA Diameter Diameter short pipe) Known as ide to order cap with strap 5-100-125 100 150-300 150 200 ther sizes ailable on request. **Finish** GB & CB

**Finish** GB

**WA Flumes with base** 



150mm diameter Nominate roof pitch Available in COLORBOND® & ZINCALUME® Steel